


, *+2 +, *1
 , *, * *_ *.
 , *, * *0 ,.

® O d[p ®

M r [N] m

M[[J [h

, u U/® , , W wH



=, oB-, H. I . M

. 30(0,

* (g ,
 * (g .
 * (0 g 0
 * (2 g 2
 + (* g +*
 + (g +,

+0 g

+

+0 g

+0

J B BI +

J B

BI

CCCC J B

J B /2

J B ,3

J B +*

	1	0.2 mg	2	0.4 mg	3	0.6 mg	4	0.8 mg	5	1.0 mg
6	1.2 mg	7	1.4 mg	8	1.6 mg					

mg

1.6 mg

0.2

0.2 mg

12

0.2 mg

1.6 mg

, / +2

PAH

	Child-Pugh C	
Child-Pugh B		0.2 mg
0.2 mg		
		Child-Pugh A

A L 6 - * g F)g h)+(l - g ,

=S J, =2

=S J, =2

=S J, =2

+/0

J B

-

100

1*(1

1+(

0-(1

. 6

--	--	--	--

	0.	, 2	. *	, *
	-0	+	- *	+-
	, 3	+-	, *	+#
	, 0	.	, +	.
	+/	/	3	-
	+	/	+-	0
	+	.	2	0
	++	.	+#	-
	1	/	3	/

1(/
, (- *(/)

J B -

(/ *(/) F *(-. *(*,) F
2(0 /(* +*) F

J B -

+0

, (/ GO)F

*(- GO)F

J B -

- . g

, .

++(-

2(2

0

-

=S J, =2

J B

1/

= Jo =

= Jo <

A L 6 - * g F)g h)+(1 - g'

o

o

, *

2*

o

* +2

1/

$$\begin{aligned} &=S J, =2 && =S J- . \\ \text{OAN+ - OAN} < 1 && & \\ &I \text{ N} \ll + \quad I \text{ N} \ll - && J \\ &&& <=LJ \end{aligned}$$

$$\begin{aligned} &=S J, =2 \\ &0^{**} g && =S J, =2 \end{aligned}$$

$$\begin{aligned} & , \\ & ++ && =S J, =2 \end{aligned}$$

$$\begin{aligned} &=S J, =2 && -^{**} g && 1/ \end{aligned}$$

g

, (, (

$$\begin{aligned} &=S J, =2 \\ &0^{**} g && =S J, =2 && \text{OAN} \\ &&& && =S J, =2 \end{aligned}$$

$$\underline{\text{OAN+ - OAN} < 1}$$

$$OAN^+ - OAN < 1$$

$$OAN^+ - OAN < 1$$

$$\underline{=SJ- .}$$

$$. **) + ** g) =SJ- .$$

$$, -1$$

$$=SJ- .$$

$$=SJ- .$$

$$=SJ- .$$

$$\underline{J B}$$

$$L \quad J B \quad - \quad J \quad / \quad - *$$

$$\underline{\hspace{10em}}$$

$$. **) + ** g) \quad I N \quad I N < + \quad I N < - \quad J$$

,

$$J. / *$$

$$\underline{\hspace{10em}}$$

$$J B \quad -$$

$$M \quad , * g \quad =SJ, =3 \quad L \quad *(g \quad =SJ- .$$

GH

$$\underline{\hspace{10em}}$$

$$+ (0 g \quad =SJ- . \quad +$$

$$=SJ- .$$

$$\underline{\hspace{10em}}$$


=S J-

L

=S J, =3



M

+



ALQBI H L J /

推荐



-6 g

ALCBI H

++/0 J B

*(2 .0 /- + BI C CC CC P
H7/2, H7/1. *(g
+(0g

I N

J B J B

0G +/ BI 0 0G
+/ J B

.2 0/ 2*
BI CC CC

/2

,3

+* , BCP +

2* L +/ J

/ -, --

*(*(g , - *(0 +(*g - +

+(+(0g . -

. * 33

=C ,, /. J 6*(***+ + -
J B +

	H7/1.	H7/2,	33 =C
--	-------	-------	-------


ALQBI H +2

. < =

J B < =


1

,




司来帕格患者 :							
存在风险	574	455	361	246	171	101	40
安慰剂组患者 :							
存在风险	582	433	347	220	149	88	28

,



司来帕格患者 :							
存在风险	574	455	361	246	171	101	40
安慰剂组患者 :							
存在风险	582	433	347	220	149	88	28

,



司来帕格患者：


存在风险	574	455	361	246	171	101	40
------	-----	-----	-----	-----	-----	-----	----

安慰剂组患者：

存在风险	582	433	347	220	149	88	28
------	-----	-----	-----	-----	-----	----	----

J B L J /

/



*2g +2g

O= . - -3

,. +3

J B

J B

J B

- .

-*

.3

+ - - .

$N_{g[r}$

$=g[r$

-*

O=

+(1 F

33

+

=SJ, =2

=SJ- .

OAN+ - OAN <1

J B

- .

*2 , (/

+0 / +2

06 + (/

+1 (3 F)

3-

+

J B

—

1/

=g[r O=

J B

—

= Jo

= Jo <

, .

+

= Jo <

,

—

+/ g F)g h)+(1- g ,"

6 -*

g F)g h)+(1- g ,

. * 1*

-*

)))))

(g 0) + *)

(g 0)

(0 g 0)

(2 g 0)

+(* g 0*)

+(g 0*)

+(g 0*)

+(0 g 0*)

-0

DR, *+2*, / +

*(g 4B, *+2**12

*(g 4B, *+2**13

*(0 g 4B, *+2**2*

*(2 g 4B, *+2**2+

+(* g 4B, *+2**2,

+(g 4B, *+2**2-

+(g 4B, *+2**2.

+(0 g 4B, *+2**2/

]n ihJ [lg [] on][mFn
